

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 30/4//2020 Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PARTS WASH
Product code : 3051063 3051065

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CLARKE International Ltd

Sealand House Hemnal Street Epping Essex CM16 4LG

T +44 (0) 1992 565 300 - F +44 (0) 1992 561 562

1.4. Emergency telephone number

Emergency number : 01530 272 922

OFFICE HOURS MONDAY TO THURSDAY 8:30-5:30. FRIDAY: 8:30 - 2:00PM

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05 GHS07

Signal word (CLP) : Danger

Hazardous ingredients : C9-11 PARETH-6; LIMONENE; 2-aminoethanol; ethanolamine

Hazard statements (CLP) : H315 - Causes skin irritation. H317 - May cause an allergic skin reaction.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier % Classification accordi Regulation (EC) No. 1272/2008 [CLP]		\ ,	
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	>=5 - <10 Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336		
C9-11 PARETH-6	(CAS-No.) 68439-46-3 (EC-No.) 614-482-0	>=0.5 - <5 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318		
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 2119486455-28-XXXX	>=0.5 - <5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314	
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6	>=0.5 - <5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351	
LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (REACH-no) 05-2114120625-58	>=0.5 - <5 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 2119486455-28-XXXX	(5 = <c 3,="" <="100)" h335<="" se="" stot="" td=""></c>		
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6	(5 = <c 100)="" 2,="" <="" carc.="" h351<="" td=""></c>		

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

30/04/2020 (Version: 2) EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

United Kingdom - Occupational Exposure Limits

omed Kingdom - Occupational Exposure Emits		
Local name	Propan-2-ol	
WEL TWA (mg/m³)	999 mg/m³	
WEL TWA (ppm)	400 ppm	
WEL STEL (mg/m³)	1250 mg/m³	
WEL STEL (ppm)	500 ppm	
Regulatory reference	EH40/2005 (Third edition, 2018). HSE	

2-aminoethanol; ethanolamine (141-43-5)

United Kingdom - Occupational Exposure Limits

Local name	2-Aminoethanol
WEL TWA (mg/m³)	2.5 mg/m³
WEL TWA (ppm)	1 ppm
WEL STEL (mg/m³)	7.6 mg/m³
WEL STEL (ppm)	3 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

30/04/2020 (Version: 2) EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:	Eye	protection:
-----------------	-----	-------------

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour : No data available
Odour threshold : No data available

pH : 9 - 11

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable : No data available Freezing point Boiling point No data available Flash point No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available Density 101-104 Solubility : No data available Log Pow : No data available No data available Viscosity, kinematic Viscosity, dynamic : No data available

9.2. Other information

Explosive properties

Oxidising properties Explosive limits

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available: No data available

: No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	4700 - 5800 mg/kg
LD50 dermal rabbit	13000 mg/kg
LC50 inhalation rat (ppm)	10000 ppm/4h

2-aminoethanol; ethanolamine (141-43-5)		
LD50 oral rat	1089 mg/kg	
LD50 dermal rabbit	2504 mg/kg	
Skin corrosion/irritation :	Causes skin irritation.	
	pH: 9 - 11	
Serious eye damage/irritation :	Causes serious eye damage.	
	pH: 9 - 11	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	

SECTION 12: Ecological information

40 4	_			
12.1		OVI		t ۱/
14.			U	LV

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

LIMONENE (5989-27-5)	
EC50 Daphnia 1	0.4 mg/l
LC50, Pimephales promelas	0.7 mg/l (96 Hours)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 - 10400 mg/l
EC50 Daphnia 1	7550 - 13299 mg/l
IC50, algae	> 1000 (72 Hours)

2-aminoethanol; ethanolamine (141-43-5)	
LC50 fish 1	349 mg/l Cyprinus carpio
LC50 fish 2	170 mg/l Carassius auratus
EC50 Daphnia 1	65 mg/l Daphina magna

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Bioaccumulative potential Does not bioaccumulate.

12.4. Mobility in soil

No additional information available

30/04/2020 (Version: 2) EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Not applicable				
Not applicable	N1 (P 11			
	Not applicable	Not applicable	Not applicable	
name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
r	Not applicable ss(es) Not applicable Not applicable ds	Not applicable SS(eS) Not applicable Not applicable	Not applicable Not applicable	

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

30/04/2020 (Version: 2) EN (English) 6/7

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H224	Extremely flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.