

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/5

6000715 WATER BASED ANTI-SPATTEREP 98031

Revision 8 Revision date 2020-03-17

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	6000715 WATER BASED ANTI-SPATTEREP 98031	
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.	
1.3. Details of the supplier of the	e safety data sheet	
Company	CLARKE International Ltd	
Address	Sealand House	
	Hemnal Street	
	Epping Essex CM16 4LG	
Web		
Telephone	+44 (0) 1992 565 300	
Fax	+44 (0) 1992 561 562	
1.4. Emergency telephone num		
Emergency telephone number	+44 (0) 1992 488 550	
Company	CLARKE INTERNATIONAL Ltd	
	Working Hours	
SECTION 2: Hazards identif	ication	
2.1. Classification of the substant	nce or mixture	
2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Warning	
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Precautionary Statement:	P102 - Keep out of reach of children.	
Prevention	P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
Response	lenses, if present and easy to do. Continue rinsing.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	



Revision 8 Revision date 2020-03-17

2.2. Label elements			
Precautionary Statement: Storage	P401 - Store as to local requirements		
Precautionary Statement: Disposal	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES		
2.3. Other hazards			
Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.		
SECTION 3: Composition/information on ingredients			
3.2. Mixtures			

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2 PHENOXY ETHANOL		122-99-6			0 - 0.5%	Acute Tox. 4: H302; Eye Irrit. 2: H319;
WATER					80 - 90%	
GLYCERINE (Glycerol, mist)		56-81-5	200-289-5		1 - 10%	
INERT BLEND OF UNCLASSIFIED MATERIALS)				1 - 10%	
ALCOHOL ETHOXYLATE		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
2-METHYLISOTHIAZOL-3(2H) -ONE		2682-20-4	220-239-6		0 - 0.5%	Acute Tox. 3: H301+H311; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 2: H330; Aquatic Acute 1: H400;
Thiocarbamide	612-082-00-0	62-56-6	200-543-5		0 - 0.5%	Carc. 2: H351; Repr. 2: H361d; Acute Tox. 4: H302; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No Significant Hazard. May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	No Significant Hazard. May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Adopt best Manual Handling considerations when handling, carrying and dispensing.

6.2. Environmental precautions



Revision 8

Revision date 2020-03-17

6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for cor	ntainment and cleaning up		
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage, including any incompatibilities			
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.		
SECTION 8: Exposure controls/personal protection			

8.1. Control parameters

8.1.1. Exposure Limit Values

GLYCERINE (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection	Wear protective clothing.
measures	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Various
Odour	Mild
рН	< 9.5
Melting point	0
Freezing Point	0
Initial boiling point	100
Relative density	1.020 NOMINAL
Solubility	Soluble in water

Water solubility

Soluble in water.

SECTION 10: Stability and reactivity

Revision 8 Revision date 2020-03-17

10.2. Chemical stability

	Stable under normal conditions.		
SECTION 11: Toxicological i	nformation		
11.1. Information on toxicologica	l effects		
Acute toxicity	No data is available on this product.		
Skin corrosion/irritation	May cause irritation to eyes. Seek medical attention if irritation or symptoms persist.		
SECTION 12: Ecological info	prmation		
12.1. Toxicity			
-	No data is available on this product.		
12.2. Persistence and degradab	lity		
	More than 90% biodegradable. DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE.		
SECTION 13: Disposal cons	iderations		
General information			
	Dispose of in compliance with all local and national regulations.		
SECTION 14: Transport info	rmation		
Further information			
	The product is not classified as dangerous for carriage. Export tariff code 3810 10 00.		
SECTION 15: Regulatory info	ormation		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
	No chemical Safety assessment has been carried out by the supplier.		
SECTION 16: Other informat	ion		
Other information			
Revision	 This document differs from the previous version in the following areas:. 1 - REACH. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 12 - 12.1. Toxicity. 		
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 2: H330 - Fatal if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Carc. 2: H351 - Suspected of causing cancer . Repr. 2: H361d - Suspected of damaging the unborn child. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
Labelling for contents			
	non-ionic surfactants 0% - < 5%		

runner information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information



Revision 8 Revision date 2020-03-17

Further information	
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

