

Clarke®



VENTILATION FAN

MODEL NO: CAM200B, 250B & 300B

PART NO: 3230442, 3230452 & 3230462

OPERATION & MAINTENANCE INSTRUCTIONS

UK
CA | CE



ORIGINAL INSTRUCTIONS

DL0722 - ISS 3

INTRODUCTION

Thank you for purchasing this CLARKE Ventilation Fan which is designed for indoor use in an industrial environment.

Read this manual carefully, in doing so you guarantee the safety of yourself and that of others around you, and you can look forward to your purchase giving you long and satisfactory service.

SAFETY RULES

Make sure that you read, understand and comply with the following rules.

POSITIONING

- This fan is designed for indoor use only.
- Be aware that the suction capability is considerable. Do not position the fan where it will blow dust, chips or hazardous fumes at people.
- DO NOT place the fan close to any wet surface. DO NOT place against any surface such as a wall, door or furniture etc.
- DO NOT place the fan on a raised surface or anywhere it could topple over.
- Only use the fan in a level position.
- Take care to ensure that the intake grille cannot be blocked by curtains or other fabrics. Do not allow loose clothing, long hair, jewellery etc. to be drawn into the intake side of the fan.
- Do not operate the fan in explosive atmospheres such as in the presence of flammable liquids, gasses or dust such as in a paint spray booth. Electric motors create sparks which may ignite dust or fumes.
- DO NOT cover the fan or obstruct the air inlet and outlet sections of the ventilator.
- DO NOT get the fan wet or use in areas of high condensation.
- DO NOT allow the power cable to touch hot surfaces.
- Do not use this fan with a programmable timer used to switch it on automatically.

PERSONNEL SAFETY

- DO NOT use the fan when you are tired or under the influence of alcohol, drugs or intoxicating medication.

- DO NOT stand on the fan.
- DO NOT use the fan with wet hands or when there is water on the power cable.
- Young children must be kept away unless continuously supervised.

ELECTRICAL SAFETY

- Inspect the power cable / plug for damage/looseness. Do not use the fan if the power cable is damaged.
- Make sure that the voltage on the product label is the same as the voltage of the power supply. If in doubt, consult a qualified electrician.
- Do not abuse the electrical cable. Do not use the cable for pulling or unplugging the fan.
- Keep the cable away from sources of heat, oil, sharp edges or moving parts. Damaged or tangled cables increase the risk of electric shock.
- Do not use extension cables with this fan.

SERVICE & REPAIRS

- Check that the fan is in good working order. Take immediate action to have it repaired or any damaged parts replaced.
- DO NOT attempt to repair the fan yourself. Always contact the Clarke service department who will use recommended parts only. Unapproved parts may be dangerous and will invalidate your warranty.

ENVIRONMENTAL RECYCLING POLICY



Through purchase of this product, the customer is taking on the obligation to deal with the WEEE in accordance with the WEEE regulations in relation to the treatment, recycling & recovery and environmentally sound disposal of the WEEE.

In effect, this means that this product must not be discarded with general household waste but according to the laws governing Waste Electrical and Electronic Equipment (WEEE) at a recognized disposal facility.

GUARANTEE

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt as proof of purchase. This guarantee is invalid if the product is found to have been abused, tampered with, or not used for the purpose for which it was intended.

Faulty goods must be returned to their place of purchase, no product can be returned to us without prior permission. This guarantee does not effect your statutory rights.

ELECTRICAL CONNECTIONS



WARNING! READ THESE ELECTRICAL SAFETY INSTRUCTIONS THOROUGHLY BEFORE CONNECTING THE PRODUCT TO THE MAINS SUPPLY.

Before switching the product on, make sure that the voltage of your electricity supply is the same as that indicated on the rating plate. This product is designed to operate on 230VAC 50Hz. Connecting it to any other power source may cause damage.


This product may be fitted with a non-rewireable plug. If it is necessary to change the fuse in the plug, the fuse cover must be refitted. If the fuse cover becomes lost or damaged, the plug must not be used until a suitable replacement is obtained.

If the plug has to be changed because it is not suitable for your socket, or due to damage, it should be cut off and a replacement fitted, following the wiring instructions shown below. The old plug must be disposed of safely, as insertion into a mains socket could cause an electrical hazard.




**WARNING! THE WIRES IN THE POWER CABLE OF THIS PRODUCT ARE COLOURED IN ACCORDANCE WITH THE FOLLOWING CODE:
Blue = Neutral Brown = Live Yellow and Green = Earth**

If the colours of the wires in the power cable of this product do not correspond with the markings on the terminals of your plug, proceed as follows.

- The wire which is coloured **Blue** must be connected to the terminal which is marked **N** or coloured **Black**.
- The wire which is coloured **Brown** must be connected to the terminal which is marked **L** or coloured **Red**.
- The wire which is coloured **Yellow and Green** must be connected to the terminal which is marked **E** or  or coloured **Green**.

Plug must be BS1363/A approved.



Ensure that the outer sheath of the cable is firmly held by the clamp

We strongly recommend that this machine is connected to the mains supply via a Residual Current Device (RCD)

If in any doubt, consult a qualified electrician. DO NOT attempt any repairs yourself.

CONNECTING DUCTWORK

These ventilation fans will be used with Clarke retractable ducting available in 5 metre lengths as follows.

To fit model	Diameter	Part No
CAM200B	8"	3230443
CAM250B	10"	3230453
CAM300B	12"	3230463

1. Before use, attach the ducting to the discharge end of the ventilation fan as shown, secured with the tie cord provided.
2. Place the ventilation fan in a level position on a flat surface and at a safe distance from flammable materials.
3. The ventilation fan is operated by the ON/OFF switch located under the handle.
4. Connect the ventilation fan to a suitable power supply.



MAINTENANCE



WARNING: ALWAYS DISCONNECT FROM THE POWER SUPPLY BEFORE PERFORMING ANY CLEANING OR MAINTENANCE TASKS. THIS SHOULD BE CARRIED OUT BY THE CLARKE SERVICE DEPARTMENT.

- Clean the with a soft damp cloth, Do not use solvents or abrasives.
- If used in spaces with high dust content, clean the guards and fan blades by vacuuming or wiping. Remove the end guard to gain access to the blades.
- REPLACE GUARDS BEFORE RE-CONNECTING TO MAINS SUPPLY.
- No other maintenance is required, should you discover any problem with the ventilation fan return it to the Clarke service department for repair.

FAILURE TO OPERATE

Problem	Possible Cause	Remedy
Fan does not operate although plugged in with the switch on	Plug is loose/bad connection	Pull the plug out & check the connection of the plug and socket
	Fuse blown or circuit breaker trips	Replace if necessary and investigate cause. If fuse blows repeatedly, consult your Clarke dealer
	No power at socket outlet	Insert the plug in a functioning power socket
Abnormal noise	Fan is not level	Stand fan on a level surface

SPECIFICATIONS

Model	CAM200B	CAM250B	CAM300B
Air Inlet Size	8 inch	10 inch	12 inch
Power supply	230V/50Hz	230V/50Hz	230V/50Hz
Air Output: (m ³ /h)	1500 m ³ /h	2700 m ³ /h	3900 m ³ /h
Total Pressure	245 Pa	295 Pa	385 Pa
Duty Cycle Classification:	S1 (continuous)	S1 (continuous)	S1 (continuous)
Electrical Insulation Class	I	I	I
Product Weight	9.4 kg	11.2 kg	15.3 kg
Sound Pressure Level	65 dB(A)	71 dB(A)	74.1 dB(A)
Rpm	2800	2800	2800
Rated pressure	1.2 MPa	1.2 MPa	1.2 MPa
Rated flow rate	879 m ³ /h	1698 m ³ /h	2379 m ³ /h
Rated motor input power	180W	300W	500W
Specific Ratio (EU no 327/2011)	0.805	0.88	0.83

DECLARATION OF CONFORMITY



Hemnoll Street, Eppinge, Essex CM16 4LG

DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following statutory requirement(s):

- Electromagnetic Compatibility Regulations 2016.
- Electrical Equipment (Safety) Regulations 2016.
- The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012.
- The Ecodesign for Energy-Related Products and Energy Information (Amendment) (EU Exit) Regulations 2020.

The following standards have been applied to the product(s):

- EN 60034-1:2010, EN 60034-5:2001+A1:2007, EN 55014-1:2006/A2:2011, EN 55014-1:2017, EN 55014-2:1997/A2:2008, EN 55014-2:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN ISO 12100:2010, IEC 62321-3-1:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, EN ISO 17075-1:2017.

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned legislation has been compiled and is available for inspection by the relevant enforcement authorities.

The UKCA mark was first applied in: 2022

Product Description: 8inch, 10inch, 12inch Ventilators
Model number(s): CAM200B, CAM250B, CAM300B
Serial / batch Number: N/A
Date of Issue: 22/06/2022

Signed:

J.A. Clarke
Director

CAM200B UKCA Clarke DOC 062222

Page 1 of 1



Fitzwilliam Hall, Fitzwilliam Place, Dublin 2

DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following directive(s):

- 2014/30/EU Electromagnetic Compatibility Directive.
- 2014/35/EU Low Voltage Equipment Directive.
- 2011/65/EU Restriction of Hazardous Substances (RoHS).
- 2009/125/EC Eco-design Requirements Directive.

The following standards have been applied to the product(s):

- EN 60034-1:2010, EN 60034-5:2001+A1:2007, EN 55014-1:2006/A2:2011, EN 55014-1:2017, EN 55014-2:1997/A2:2008, EN 55014-2:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN ISO 12100:2010, IEC 62321-3-1:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, EN ISO 17075-1:2017.

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities.

The CE mark was first applied in: 2017

Product Description: 8inch, 10inch, 12inch - Ventilators
Model number(s): CAM200B, CAM250B, CAM300B
Serial / batch Number: N/A
Date of Issue: 21/06/2022

Signed:

J.A. Clarke
Director

CAM200B CE Clarke DOC 062122

Page 1 of 1

A SELECTION FROM THE VAST RANGE OF

Clarke®

QUALITY PRODUCTS



AIR COMPRESSORS
From DIY to industrial, Plus air tools, spray guns and accessories.

GENERATORS
Prime duty or emergency standby for business, home and leisure.

POWER WASHERS
Hot and cold, electric and engine driven - we have what you need

WELDERS
Mig, Arc, Tig and Spot. From DIY to auto/industrial.

METALWORKING
Drills, grinders and saws for DIY and professional use.

WOODWORKING
Saws, sanders, lathes, mortisers and dust extraction.

HYDRAULICS
Cranes, body repair kits, transmission jacks for all types of workshop use.

WATER PUMPS
Submersible, electric and engine driven for DIY, agriculture and industry.

POWERTOOLS
Angle grinders, cordless drill sets, saws and sanders.

STARTERS/CHARGERS
All sizes for car and commercial use.



PARTS & SERVICE: 0208 988 7400

Parts Enquiries
Parts@clarkeinternational.com

Servicing & Technical Enquiries
Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

Clarke INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG
www.clarkeinternational.com