



2 DOOR TALL LOCKER CABINET

MODEL NO: CC76

PART NO: 7642030

ASSEMBLY INSTRUCTIONS

Œ

LS0115

INTRODUCTION

Thank you for purchasing this CLARKE product.

Before attempting to use this product, please read this manual thoroughly and follow the instructions carefully. In doing so you will ensure the safety of yourself and that of others around you, and you can look forward to your purchase giving you long and satisfactory service.

GUARANTEE

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.


Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

SPECIFICATION

Dimensions	762 x 460 x 1575 mm
Maximum Load Per Shelf	24 kg
Maximum Load Total	80 kg

WHAT IS SUPPLIED



No	Description	Qty
1	Main Frame	1
2	Top Panel	1
3	Base Panel	1
4	Shelf	3
5	Bracket	4
6	Shelf Locking Pins	18
7	Bolts	16
8	Key	2
9	Adjustable Foot	4


ASSEMBLY



- 1. Open out the main frame as shown.
- 2. Screw the 4 adjustable feet into the bottom of the base



- 3. Place the main frame over the base as shown.
- 4. You may need help doing this.



- 5. Join the main frame to the bottom panel using the brackets and bolts supplied.
- Insert the bolts from the outside.



- 6. Repeat with the top panel.
- Note the position of the Clarke logo for orientaion.



- 7. Insert the shelf at the required height.
- Make sure that all the tabs on the shelf locate into the slots in the main frame.



- 8. Lock the shelf into position using the locking pins provided.
- The locking pins are inserted from the outside.



- Repeat with the remaining shelves.
 - The maximum load for each shelf is 24 kg. Do not exceed the amount.



- 10. The cabinet is now ready to use.
- Each foot can be screwed in or out to account for uneven floors, Make sure that the cabinet is level before use.

ALSO AVAILABLE FROM Clarke



TWO DOOR TALL LOCKER CABINET

- 3 adjustable shelves
- Robust steel construction
- Includes door lock with 2 kevs

Model No. CC76 Model No. 7642030



WORKBENCH WITH LOCKABLE CUPBOARD

- Drawer and lockable cupboard for secure storage of workshop equipment
- Durable powder coated finish

Model No. CWB57 Model No. 7642010



LOCKABLE WALL CABINET

- Integral hanging brackets for easy wall mounting
- Durable powder coated finish
- Robust steel construction

Model No. CWC38 Model No. 7642000




3 DRAWER WORKBENCH

WITH LOCKABLE CUPBOARD • Secure

- storage of hand and power tools
- Extra thick 30mm worktop

Model No.CWB114 Model No.7642015



1140mm (45") 3 DOOR LOCKABLE WALL CABINET


- •3 separate lockable compartments (2 Keys each)
- Two compartments with adjustable shelves
- Hanging brackets for easy wall mounting


Model No. CWC114 Model No. 7642005

1140mm (45") WIDE WALL MOUNTED TOOL RACK

- Keyhole slots allow wrench holders, hooks and clips to be positioned as required
- 3 individual panels make up a large 1140x596mm rack

Model No. CWR45C Model No. 7642025







PARTS & SERVICE: 0208 988 7400

E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

CIAPER INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG www.clarkeinternational.com