

Model No: CCR15T Part No: 6155300

OPERATING INSTRUCTIONS

- 1. The cable reel should be securely mounted to floor or ceiling with appropriate fixings (not supplied). When mounting ensure that the swivel angle of the reel is not restricted.
- 2. Connect the cable to a 230V mains supply, the Power LED will illuminate.
- 3. Pull out enough cable as required. When the cable is extracted a clicking sound will be heard. Lightly release the tension on the cable, the cable will then be held in position without retraction.
- 4. After use, pull the cable lightly to release the clamp and allow the cable to retract.

CAUTION

- 1. The cable reel should be kept dry and not be mounted outdoors.
- 2. Do not exceed the maximum specified load of 2.5 kW (cable extended) when using the product.

NOTE: The maximum load is reduced when the cable is not fully extended.

- 3. If the thermal protection device trips allow the cable to cool before attempting to reset the device.
- 4. If after a long period of use the cable cannot be completely retracted, it should be extended to its full length to re-tension the spring.

SPECIFICATION

Supply:	230V 50Hz
Max Load Power (cable extended):	2.5kW
Max Load Power (cable reeled):	1kW
IP Rating:	IP20
Weight:	5kg



DECLARATION OF CONFORMITY - UKCA





DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following UK legislation:

Electrical Equipment (Safety) Regulations 2016.

The Restriction of the Use of Certain Hazardous Substances

in Electrical and Electronic Equipment Regulations 2012.

The following standards have been applied to the product(s):

EN 61242:1997 + A1:2008 + A2:2016 + A13:2017.

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned legislation has been compiled and is available for inspection by the relevant enforcement authorities.

This product was placed onto the market: 2010

Product Description: 230V Cable Reel

Model number(s): CCR15T

Serial / batch Number: N/A

Date of Issue: 25/02/2021

Signed:

J.A. Clarke

Director



DECLARATION OF CONFORMITY - CE





DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following directive(s):

2014/35/EU Low Voltage Equipment Directive.

2011/65/EU Restriction of Hazardous Substances, (amended by 2015/863).

The following standards have been applied to the product(s):

EN 61242:1997 + A1:2008 + A2:2016 + A13:2017.

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities.

The CE mark was first applied in: 2010

Product Description:

230V Cable Reel

Model number(s):

CCR15T

Serial / batch Number:

N/A

Date of Issue:

25/02/2021

Signed:

J.A. Clarke

Director



A SELECTION FROM THE VAST RANGE OF



QUALITY PRODUCTS

AIR COMPRESSORS

From DIY to industrial, Plus air tools, spray guns and accessories.

GENERATORS

Prime duty or emergency standby for business, home and leisure.

POWER WASHERS

Hot and cold, electric and engine driven - we have what you need

NELDERS

Mig, Arc, Tig and Spot. From DIY to auto/industrial.

METALWORKING

Drills, grinders and saws for DIY and professional use.

WOODWORKING

Saws, sanders, lathes, mortisers and dust extraction.

HYDRAULICS

Cranes, body repair kits, transmission jacks for all types of workshop use.

WATER PUMPS

Submersible, electric and engine driven for DIY, agriculture and industry.

POWER TOOLS

Angle grinders, cordless drill sets, saws and sanders.

STARTERS/CHARGERS

All sizes for car and commercial use.



PARTS & SERVICE: 0208 988 7400

Parts Enquiries
Parts@clarkeinternational.com

Servicing & Technical Enquiries
Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

CITE INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG
www.clarkeinternational.com