

Clarke® STRONG-ARM



CAUTION: Do not keep the keys or manual inside the safe!

56.2 LITRE DIGITAL SAFE

MODEL NO: CS800D

PART NO: 7710121

OPERATION & MAINTENANCE INSTRUCTIONS

UK
CA | CE

DL0323

INTRODUCTION

Thank you for purchasing this CLARKE 56.2 Litre Digital Safe.

Before attempting to operate the safe, it is essential that you read this manual thoroughly and carefully follow all instructions given. In doing so you can look forward to the safe giving you long and satisfactory service.

GUARANTEE

This CLARKE product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.

Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

SPECIFICATION

External Dimensions (DxWxH)	360 x 350 x 520 mm
Weight	18.45 kg
Batteries	4 x AA (1.5V) batteries
Volume	56.2L
Number of Shelves	1
Number of Keys Supplied	2

REPLACEMENT OVERRIDE KEY

A key number has been carved into the face of the lock and the keys. This number must be registered with us in the event you require a replacement key.

Please register your safe on the website listed on page 7. If you fail to register the safe we will not be able to provide you with a replacement key.

We recommend that in addition to registering you remove the label from the safe and fix it to the space on page 7. Please retain this document for future reference.


BEFORE USE

OPENING THE SAFE FOR THE FIRST TIME

1. Remove the small plastic cover (2) on the front panel.
2. Insert the override key into the key hole and turn it counterclockwise, at the same time, turn the doorknob (1) clockwise direction to open the safe.

NOTE: NEVER keep the override keys inside the safe itself.


3. Replace the small plastic cover (2) onto the front panel.



INSTALLING THE SAFE

The safe should be secured vertically to a wall, cupboard shelf or to the floor using the four expansion bolts (supplied).


- There are 4 holes (9mm) on the rear and 4 holes (9mm) on the bottom of the safe for securing to a wall or the floor.



INSTALLING THE BATTERIES

The safe requires 4 x AA (1.5V) batteries.


1. Open the safe.
2. Remove the battery cover plate on the back of the door and install the batteries.
3. Ensure the batteries are installed with the correct polarity.
4. The use of alkaline batteries is recommended.



PROGRAMMING THE CODE

With the safe door open and the batteries installed:

1. Press and release the red button on side of the lock housing.
 - You will hear two beeps.
 - The yellow indicator light on the keypad will be on at the same time.
2. Enter the code you want to use (3-8 digits) as a combination.
3. Confirm within 15 seconds by pressing the letter "A" or "B" on the keypad.
 - The safe "bleeps" twice and the yellow light will go off. Your personal code is now set.
4. With the safe door open, test that the new combination has been programmed.



TO OPEN THE SAFE

1. Enter your personal code followed by the letter "A" or "B".
 - You will hear a beep and the green light on the front of the safe will light up.
2. Turn the doorknob in a clockwise direction to open the door within 5 seconds.
 - If you, or an intruder uses the incorrect group of numbers, it will not open.
 - If the incorrect combination is used 3 times consecutively, you must wait for 20 seconds before trying again.
 - If the incorrect combination is selected a further 3 times, you must wait approximately 5 minutes before trying again.

BATTERY REPLACEMENT WARNING

If the batteries are low, the red light (in the middle of the number panel) will illuminate.

MANUAL OVERRIDE

- See "Opening the safe for the first time" on page 3.

DECLARATION OF CONFORMITY - UKCA



Clarke[®]
INTERNATIONAL

Hemnal Street, Epping, Essex CM16 4LG

DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following statutory requirement(s):

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The following standards have been applied to the product(s):

*EN 61000-6-3:2007+A1:2011, EN 61000-6-1:2007, IEC 62321-2:2013, IEC 62321-1:2013,
IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+A1:2017, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017, ISO 17075-1:2017.*

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned legislation has been compiled and is available for inspection by the relevant enforcement authorities.

The UKCA mark was first applied in: 2021

Product Description: 56.2L Electronic Digital Safe

Model number(s): CS800D

Serial / batch Number: N/A

Date of Issue: 18/11/2021

Signed:

J.A. Clarke
Director

DECLARATION OF CONFORMITY - CE



Clarke[®]
INTERNATIONAL

Fitzwilliam Hall, Fitzwilliam Place, Dublin 2

DECLARATION OF CONFORMITY

This is an important document and should be retained.

We hereby declare that this product(s) complies with the following directive(s):

2014/30/EU Electromagnetic Compatibility Directive.

2011/65/EU Restriction of Hazardous substances (Amendment EU 2015/863).

The following standards have been applied to the product(s):

*EN 61000-6-3:2007+A1:2011, EN 61000-6-1:2007, IEC 62321-2:2013, IEC 62321-1:2013,
IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+A1:2017, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017, ISO 17075-1:2017.*

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities.

The CE mark was first applied in: 2021

Product Description: 56.2L Electronic Digital Safe
Model number(s): CS800D
Serial / batch Number: N/A
Date of Issue: 18/11/2021

Signed:

J.A. Clarke
Director

IMPORTANT

Safe Registration

Please visit

www.clarkeinternational.com/safe-registration/
or scan the QR code below
and register your new Clarke Safe



Please identify the key number before your safe is installed. If you fail to register and subsequently lose your key, we will be unable to provide you with a replacement. It is therefore in your own best interest to register immediately.

Record the key number here:

**NOTE: DO NOT store this manual or spare key
in your safe**

A SELECTION FROM THE VAST RANGE OF

Clarke®

QUALITY PRODUCTS



AIR COMPRESSORS
From DIY to industrial, Plus air tools, spray guns and accessories.

GENERATORS
Prime duty or emergency standby for business, home and leisure.

POWER WASHERS
Hot and cold, electric and engine driven - we have what you need

WELDERS
Mig, Arc, Tig and Spot.
From DIY to auto/industrial.

METALWORKING
Drills, grinders and saws for DIY and professional use.

WOODWORKING
Saws, sanders, lathes, mortisers and dust extraction.

HYDRAULICS
Cranes, body repair kits, transmission jacks for all types of workshop use.

WATER PUMPS
Submersible, electric and engine driven for DIY, agriculture and industry.

POWERTOOLS
Angle grinders, cordless drill sets, saws and sanders.

STARTERS/CHARGERS
All sizes for car and commercial use.



PARTS & SERVICE: 0208 988 7400

Parts Enquiries
Parts@clarkeinternational.com

Servicing & Technical Enquiries
Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

Clarke® INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG
www.clarkeinternational.com