



Only suitable for well insulated areas and not designed to be the primary heat source

# 9KW ELECTRIC FAN HEATER

MODEL NO: DEVIL 7009

PART NO: 6935454

# OPERATION & MAINTENANCE INSTRUCTIONS





**ORIGINAL INSTRUCTIONS** 

DL1022 - Rev 10

# INTRODUCTION

Thank you for purchasing this CLARKE product.

Before attempting to use this product, please read this manual thoroughly and follow the instructions carefully. In doing so you will ensure the safety of yourself and that of others around you, and you can look forward to your purchase giving you long and satisfactory service.

# **GUARANTEE**

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.

Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

# LIST OF PACK CONTENTS

| 1 x Heater        | 1 x Handle       |
|-------------------|------------------|
| 1 x Support Frame | 1 x Fixings Pack |

# **ENVIRONMENTAL RECYCLING POLICY**



Through purchase of this product, the customer is taking on the obligation to deal with the WEEE in accordance with the WEEE regulations in relation to the treatment, recycling & recovery and environmentally sound disposal of the WEEE.

In effect, this means that this product must not be disposed of with general household waste. It must be disposed of according to the laws governing Waste Electrical and Electronic Equipment (WEEE) at a recognised disposal facility.

# THE FOLLOWING TABLE ADDRESSES THE INFORMATION REQUIREMENTS OF REG.2015/1188

| Item   | Symbol            | Value | Unit |
|--|-------------------|-------|------|
| Heat output  |                   |       |      |
| Measured seasonal space heating energy efficiency                            |                   |       | 36%  |
| Nominal heat output  | P <sub>nom</sub>  | 9     | kW   |
| Minimum heat output (indicative)   | P <sub>min</sub>  | 4.5   | kW   |
| Maximum continuous heat output   | P <sub>max</sub>  | 9     | kW   |
| Auxiliary electricity consumption  |                   | 1     |      |
| At nominal heat output   | el <sub>max</sub> | n/a   | kW   |
| At minimum heat output   | el <sub>min</sub> | n/a   | kW   |
| In standby mode  | el <sub>SB</sub>  | 0     | kW   |
| Type of heat input for electric storage local heaters or                     | nly               |       |      |
| Manual heat charge control with integrated thermost                          | at                |       | No   |
| Manual heat charge control with room and/or outdoor temperature feedback     |                   | No    |      |
| Electronic heat charge control with room and/or outdoor temperature feedback |                   | No    |      |
| Fan assisted output  |                   | No    |      |
| Type of heat output/room temperature control (select                         | one)              | ,     |      |
| Single stage heat output, no temperature control                             |                   | No    |      |
| Two or more manual stages, no temperature control                            |                   | No    |      |
| With mechanical thermostat temp control                                      |                   | Yes   |      |
| With electronic temperature control  |                   | No    |      |
| Electronic temperature control with day timer                                |                   | No    |      |
| Electronic temperature control with week timer                               |                   | No    |      |
| Other control options (multiple selections possible)                         |                   |       |      |
| Room temperature control with presence detection                             |                   | No    |      |
| Room temperature control with open window detection                          |                   | No    |      |
| Room temperature control with distance control option                        |                   | No    |      |
| Room temperature control with adaptive start control                         |                   | No    |      |
| Room temperature control with working time limitation                        |                   | No    |      |
| Room temperature control with black bulb sensor                              |                   | No    |      |

# **SAFETY SYMBOLS**

The following symbols appear on the unitt.



Hot Surface, Do Not Touch



Do Not Cover



High Voltage

# **SAFETY RULES**

Make sure that you read, understand and comply with the following.

# **ELECTRICAL SAFETY**



WARNING: THIS HEATER MUST BE EARTHED AND FITTED WITH A SUITABLE POWER CABLE & PLUG.

- Regularly inspect the power cable/plugs used with this heater for signs of damage/looseness. DO NOT use the heater it the power cable is damaged.
- Minimise the risk of electric shock by installing a RCCB (Residual Current Circuit Breaker) and a suitable 3-phase isolator into the main distribution board.
- Make sure that the voltage on the rating plate is the same as the voltage of the power supply. If in doubt, consult a qualified electrician.
- DO NOT abuse the electrical power cable. Never use the cable for pulling or unplugging the heater.
- Keep the power cable away from sources of heat, oil, sharp edges or moving parts. Damaged or tangled cables increase the risk of electric shock.
- DO NOT use extension cables with this heater.

## MAINTENANCE.



WARNING: DISCONNECT THE HEATER FROM THE POWER SUPPLY, BEFORE SERVICING OR PERFORMING ANY MAINTENANCE. SERVICING OR MAINTENANCE MUST ONLY BE CARRIED OUT BY THE CLARKE SERVICE DEPARTMENT.

- Check that the heater is in good working order. Take immediate action to repair or replace damaged parts.
- **DO NOT** allow the heating elements to become covered with dust which could become a fire hazard. If used in a dusty workplace it should be cleaned as described under Cleaning and Maintenance.
- Use recommended parts only. Unapproved parts may be dangerous and will invalidate the warranty.
- DO NOT attempt to repair a damaged heater, contact the Clarke service department.

## **POSITIONING**



WARNING: DO NOT USE THE HEATER NEAR FLAMMABLE MATERIAL, LIQUIDS, SOLIDS, GASES OR COMPRESSED GAS CYLINDERS ETC.

- Heater is designed for indoor use only.
- **DO NOT** place the heater close to a bath, wash basin, shower, swimming pool or any other water-filled area or wet surface. DO NOT place the heater up against any surface such as a wall, door or furniture etc.
- DO NOT place the heater immediately below any electrical outlet.
- **NEVER** place the heater near combustible materials such as curtains, furniture etc. Allow at least 2 metre clearance.
- DO NOT place the heater on a raised surface or anywhere where it could topple over
- Take care to ensure that the grille cannot be blocked by curtains or other fabrics.
- **DO NOT** operate fan heaters in explosive atmospheres such as in the presence of flammable liquids, gases or dust such as in a paint spray booth or any explosive environment. Electric motors create sparks which may ignite dust or fumes.

## **COMMON SENSE**

- **DO NOT** operate the heater when you are tired or under the influence of alcohol, drugs or intoxicating medication.
- DO NOT stand on the heater.
- DO NOT use the heater with wet hands or when there is water on the power cable.
- Turn the heater off when not in use and keep it in a safe, dry, childproof location.
- The heater is designed to heat enclosed areas larger than 4m<sup>3</sup>, such as workshops and other industrial areas. DO NOT use the heater for any other function. It is not suitable for drying clothes or laundry.
- Young children must be kept away unless continuously supervised.

## **OPERATION**

- The heater must only be used by people who have read these instructions and have been trained in its use.
- **DO NOT** obstruct the air inlet and outlet sections of the heater.
- **DO NOT** cover the heater.
- **DO NOT** touch the heater casing or grille when first switched off, as these will be very hot and will take time to cool.
- **DO NOT** get the heater wet or use in areas of high condensation.
- DO NOT allow the power lead to touch hot surfaces.
- **DO NOT** connect other appliances to the same mains socket as the heater.
- Only use the heater in an level position.
- **DO NOT** use this heater with a programmable timer used to switch it on automatically.

# **SERVICE & REPAIRS**

 Have your appliance repaired by a qualified person using identical replacement parts. This will ensure that the safety of the appliance is maintained.

# **SAFETY SYSTEMS**

# THERMOSTATIC PROTECTION

The Devil 7009 has a thermal cut out to prevent the unit from overheating.

The thermal cutout may also operate if the heater is shut down without allowing to cool sufficiently. If subsequently, the heater fails to start, press the RESET button and try again.



# **ELECTRICAL CONNECTIONS**



WARNING: THE INSTALLATION OF THIS APPLIANCE SHOULD BE CARRIED OUT BY A COMPETENT ELECTRICIAN AND BE IN ACCORDANCE WITH THE CURRENT IEE WIRING REGULATIONS (BS7671-2:2008).


The supply cable is fitted with a red 5 pin 16 amp industrial plug to EN 60309.

This heater MUST be connected to a 400 Volt, 3 phase 50Hz supply through a suitably rated isolator switch. It cannot be operated from a single phase supply.

If in any doubt, consult a qualified electrician. **DO NOT** attempt any electrical repairs yourself.


# **ASSEMBLY**

1. Fit the handle to the main body and secure using the four screws supplied.




- 2. Fit the leg frame to the main body as shown.
- 3. Secure using the bolt and handwheel supplied.

**NOTE:** The bolt needs to be inserted before the handwheel.



# **ADJUSTING THE ANGLE**

- 1. Loosen both handwheels.
- 2. Adjust to the the required angle.
- 3. Retighten the handwheels.



# **OPERATION**




WARNING: DO NOT USE THIS HEATER IN SMALL ROOMS WHEN THEY ARE OCCUPIED BY PERSONS NOT CAPABLE OF LEAVING THE ROOM ON THEIR OWN, UNLESS CONSTANT SUPERVISION IS PROVIDED.




CAUTION: SOME PARTS OF THIS PRODUCT CAN BECOME VERY HOT AND CAUSE BURNS. PARTICULAR ATTENTION HAS TO BE GIVEN WHERE CHILDREN AND VULNERABLE PEOPLE ARE PRESENT.

- 1. Put the heater in a level position on a flat surface and at a safe distance from flammable materials. Keep a minimum of 2m clearance all round.
- 2. Connect the heater to a suitable power supply.
- 3. Set the thermostat control to the maximum setting (fully clockwise).



4. Set the mode selector to one of the 3 settings:



- The heater will take up to three minutes to reach optimum temperature.
- 5. Once the room reaches the required temperature, turn the thermostat control slowly counter-clockwise until the thermostat clicks, leave the control in this position.

- The room temperature will be maintained at this setting. The heater will continue to operate until the power switch is turned to the OFF position.
- 6. For fan only operation, turn the power switch to the fan only setting and set the thermostat to its minimum setting.
- 7. When not in use, disconnect the heater from the mains supply. Store it in a safe, dry, childproof location.

# **MAINTENANCE**



WARNING: ALWAYS DISCONNECT FROM THE POWER SUPPLY AND ALLOW THE HEATER IT TO COOL DOWN BEFORE PERFORMING ANY MAINTENANCE TASKS.

- Clean the heater with a soft damp cloth. Do not use solvents or abrasives.
- Make sure that the heater grill is not blocked.
- No other maintenance is required, should you discover any problem with the heater, return it to the Clarke service department for repair.

# **SPECIFICATIONS**

| Operating Voltage and Frequency: (V / Hz / Phs) | 400 V / 50Hz / 3 Phase |
|---|------------------------|
| Operating Temperature: (Min/Max) (°C):          | 0-40°C                 |
| Heat Output: (kW):                              | 9 kW                   |
| Air Output: (m³/h)                              | 474m³/h                |
| Safety Device:                                  | Thermal cut-out        |
| Duty Cycle Classification:                      | Continuous duty        |
| Electrical Insulation Class                     | I                      |
| Product: Depth x Width x Height                 | 442 x 406 x 562 mm     |
| Product Weight                                  | 10.5 kg                |

# TROUBLE SHOOTING

| Problem  | Possible Cause                               | Remedy   |
|--|--|--|
| Heater does not operate, although plugged in with the switch and thermostat switched on. | Plug is loose/bad connection.                | Pull the plug out & check all connections (cable/plug and socket).   |
|  | Fuse blown or circuit breaker trips.         | Replace if necessary and investigate cause. If fuse blows repeatedly, consult your Clarke dealer.  |
|  | No power at socket outlet                    | Insert the plug in a suitable socket.  |
| Heating element glowing hot.   | Input voltage too high.                      | Use a power supply in accordance with the rating on the label.   |
|  | Air inlet grille is blocked                  | Ensure the heater is kept away from any objects which could cover the air inlet or be drawn into it.   |
| The unit has failed to heat up so only the air fan has operated.                         | Control switch not set at a "HEATING" level. | Turn switch to a heating level.  |
|  | Thermostat has tripped.                      | Turn the thermostat and listen. If there is no CLICK and the thermostat is not damaged, the heater will automatically switch ON when it has cooled down. |
| Abnormal noise.  | Heater is not level.                         | Stand heater on a level surface  |

# **PARTS DIAGRAM** 12 -

# **PARTS LIST**

| 1  | Front Grille            |
|----|-------------------------|
| 2  | Front Rings             |
| 3  | Chassis Panel Front     |
| 4  | Temperature Sensor Clip |
| 5  | After Cooling Sensor    |
| 6  | Chassis Panel Rear      |
| 7  | Grommet                 |
| 8  | Temperature Controller  |
| 9  | Control Box Front       |
| 10 | Control Box             |
| 11 | Reset Button            |
| 12 | Thermostat Knob         |
| 13 | Switch Knob             |
| 14 | Supply Cable Entry      |
| 15 | Control Box Rear        |
| 16 | Speed Controller        |
| 17 | Plastic Handle          |
| 18 | Handle Position         |
| 19 | Retaining Clips         |
|    |                         |

| 20 | Closing Plate           |
|----|-------------------------|
| 21 | Grommet                 |
| 22 | Fan                     |
| 23 | Motor                   |
| 24 | Rear Rings              |
| 25 | Rear Grille             |
| 26 | Motor Retaining Bracket |
| 27 | Heating Elements        |
| 28 | House Casing            |
| 29 | Rivet Nut               |
| 30 | Mains Power Socket      |
| 31 | Decoration Cap          |
| 32 | Adjustable Screw        |
| 33 | Fixing Bolt             |
| 34 | Securing Plate L        |
| 35 | Securing Plate R        |
| 36 | Frame                   |
| 37 | Heat Shield             |
|    |                         |

Part number = (CXDEV7009 + the number of the part)

# **DECLARATION OF CONFORMITY - UKCA**





Hemnal Street, Epping, Essex CM16 4LG

### **DECLARATION OF CONFORMITY**

This is an important document and should be retained.

### We hereby declare that this product(s) complies with the following statuary requirement(s):

Electromagnetic Compatibility Regulations 2016

Electrical Equipment (Safety) Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Eco-design for Energy Related Products and Energy Information (Amendment) (EU Exit) Regulations 2019

### The following standards have been applied to the product(s):

EN 55014-1:2017, EN 55014-2:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 61000-3-11:2000,

EN 61000-3-12:2011, EN 60335-2-30:2009+A11:2012, EN 62233:2008,

EN 60335-1:2012+AC:2014+A11:2014+A13:2017, IEC 62321-3-1:2013, IEC 62321-4:2013,

IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-8:2017,

IEC/EN 60675:1998, IEC 62301:2011

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned legislation has been compiled and is available for inspection by the relevant enforcement authorities.

The UKCA mark was first applied in: 2022

**Product Description:** 

Electric Fan Heaters - 5kW, 9kW, 15kW, 22kW, 30kW

Model number(s):

Devil 7005, Devil 7009, Devil 7015, Devil 7025, Devil 7030

Serial / batch Number:

N/A

Date of Issue:

13/04/2022

Signed:

J.A. Clarke

Director

Devil 7009 UKCA Clarke DOC 041322

Page 1 of 1

# **DECLARATION OF CONFORMITY - CE**





Fitzwilliam Hall, Fitzwilliam Place, Dublin 2

### **DECLARATION OF CONFORMITY**

This is an important document and should be retained.

### We hereby declare that this product(s) complies with the following directive(s):

2014/30/EU Electromagnetic Compatibility Directive

2014/35/EU Low Voltage Directive

2011/65/EU Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment Directive

2009/125/EC Eco-design Directive

### The following standards have been applied to the product(s):

EN 55014-1:2017, EN 55014-2:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 61000-3-11:2000,

EN 61000-3-12:2011, EN 60335-2-30:2009+A11:2012, EN 62233:2008,

EN 60335-1:2012+AC:2014+A11:2014+A13:2017, IEC 62321-3-1:2013, IEC 62321-4:2013,

IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-8:2017,

IEC/EN 60675:1998, IEC 62301:2011

The technical documentation required to demonstrate that the product(s) meet(s) the requirement(s) of the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities

The CE mark was first applied in: 2014

Product Description: Electric Fan Heaters – 5kW, 9kW, 15kW, 22kW, 30kW

Model number(s): Devil 7005, Devil 7009, Devil 7015, Devil 7025, Devil 7030

Serial / batch Number: N/A

Date of Issue: 13/04/2022

Signed:

J.A. Clarke

Director

Devil 7009 CE Clarke DOC 041322

Page 1 of 1

# A SELECTION FROM THE VAST RANGE OF





### AIR COMPRESSORS

From DIY to industrial, Plus air tools, spray guns and accessories.

### **GENERATORS**

Prime duty or emergency standby for business, home and leisure.

### **POWER WASHERS**

Hot and cold, electric and engine driven - we have what you need

### **WELDERS**

Mig, Arc, Tig and Spot. From DIY to auto/industrial.

### **METALWORKING**

Drills, grinders and saws for DIY and professional use.

### WOODWORKING

Saws, sanders, lathes, mortisers and dust extraction.

### **HYDRAULICS**

Cranes, body repair kits, transmission jacks for all types of workshop use.

### **WATER PUMPS**

Submersible, electric and engine driven for DIY, agriculture and industry.

### **POWER TOOLS**

Angle grinders, cordless drill sets, saws and sanders.

### STARTERS/CHARGERS

All sizes for car and commercial use.



# PARTS & SERVICE: 0208 988 7400

Parts Enquiries
Parts@clarkeinternational.com

Servicing & Technical Enquiries
Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335

CIAPE INTERNATIONAL Hemnall Street, Epping, Essex CM16 4LG
www.clarkeinternational.com