

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/23/2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Trade name	
Product code	
Type of product	

: Mixture

- : Multipurpose Car Cleaner 5 Litre
- : 3052809
- : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Professional use,Consumer use
- : Cleaning/washing agents and additives
 - : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Clarke International Hemnall Street Epping, Essex CM16 4LG - U.K. T 01992 565300 sales@clarkeinternational.com - www.clarkeinternational.com

1.4. Emergency telephone number

Emergency number: UK National Poisons Information Service: 0344 892 0111, npis.birmingham@nhs.net

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318

Serious eye damage/eye irritation, Category 1 Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS05
Signal word (CLP)	: Danger
Contains	: <5% NTA (nitrilotriacetic acid) and salts thereof, anionic surfactants, non-ionic surfactants.
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P280 - Wear protective clothing, eye protection, face protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Contains: <5% Non-ionic Surfactants <5% NTA (nitrilotriacetic acid) and salts thereof

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SODIUM METASILICATE PENTAHYDRATE	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8 REACH-no: 01-2119449811- 37	≥1-<5	Skin Corr. 1B, H314 STOT SE 3, H335
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥1-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 0.5 – < 1	Skin Corr. 1A, H314

Specific concentration limits: see section 16

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures general : Call a physician immediately. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Serious damage to eyes. : Burns.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	 Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. 		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up Other information	 Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage	9	
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m ³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses, Safety goggles	Droplet	clear, Direct-ventilated, Plastic, With side shields	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

	chemical properties
Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: 11 – 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.025
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

 Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological informatio	n
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified
propan-2-ol; isopropyl alcohol; isopropan	iol (67-63-0)
LD50 oral rat	4700 – 5800 mg/kg
LD50 dermal rabbit	13000 mg/kg
LC50 Inhalation - Rat [ppm]	10000 ppm/4h
Skin corrosion/irritation	: Causes severe skin burns. pH: 11 – 13
Serious eye damage/irritation	pH. H = 13 : Causes serious eye damage. pH: 11 – 13
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
SODIUM METASILICATE PENTAHYDRATI	E (6834-92-0)
STOT-single exposure	May cause respiratory irritation.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term	Before neutralisation, the product may represent a danger to aquatic organisms.Not classified
(acute) Hazardous to the aquatic environment, long–term (chronic)	: Not classified
Not rapidly degradable	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
LC50 - Fish [1]	9640 – 10400 mg/l		
EC50 - Crustacea [1]	7550 – 13299 mg/l		
IC50, algae	> 1000 (72 Hours)		
12.2. Persistence and degradability			
ECONOMY HARD SURFACE CLEANER			
Persistence and degradability	Readily biodegradable.		
Biodegradation	> 95 %		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Biodegradation	> 97 % within 28 days		
12.3. Bioaccumulative potential			
ECONOMY HARD SURFACE CLEANER			
Bioaccumulative potential	Does not bioaccumulate.		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
Bioaccumulative potential	Does not bioaccumulate.		
12.4. Mobility in soil	12.4. Mobility in soil		
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions		

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number	14.1. UN number					
UN 1760 UN 1760 UN 1760 UN 1760 UN 1760						
14.2. UN proper shipping name						
CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE)	CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE)	Corrosive liquid, n.o.s. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE)	CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE)	CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document desci	ription			
UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE), 8, III, (E)	UN 1760 CORROSIV LIQUID, N.O.S. (CONTAINS : SODIUI METASILICATE PENTAHYDRATE), 8,	n.o.s. (CONTAINS : M SODIUM METASILICATE PENTAHYDRATE), 8, III	LIQUID, N.O.S. E (CONTAINS : SODIUM	UN 1760 CORROSIVE LIQUID, N.O.S. (CONTAINS : SODIUM METASILICATE PENTAHYDRATE), 8, III
14.3. Transport hazard	class(es)			
8	8	8	8	8
B	B	B	B	B
14.4. Packing group				1
	III	III	III	III
14.5. Environmental haz	zards			1
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available			1
14.6. Special precaution	- f			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (AD Portable tank and bulk contai Portable tank and bulk contai (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriag Hazard identification number Orange plates	: DR) : ner instructions (ADR) : ner special provisions : e - Packages (ADR) : (Kemler No.) :) :	C9 274 51 E1 P001, IBC03, LP01, R001 MP19 T7 TP1, TP28 L4BN AT 3 V12 80 80 1760 E 2X		
APP code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMD EmS-No. (Fire)	: : : : : : : : : : : : : : : : : : :	B 223, 274 5 L E1 P001, LP01 IBC03 T7 TP1, TP28 F-A		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C9
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C9
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Detergent Regulation (648/2004/EC): Ingredient data sheet		
Component CAS-No.		%
AQUA	7732-18-5	≥10%
disodium metasilicate	6834-92-0	1 - 10%
propan-2-ol; isopropyl alcohol; isopropanol	67-63-0	1 - 10%

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Detergent Regulation (648/2004/EC): Ingredient data sheet		
Component CAS-I		%
sodium hydroxide; caustic soda	1310-73-2	0.1 - 1%
SODIUM XYLENESULFONATE	1300-72-7	0.1 - 1%
trisodium nitrilotriacetate	5064-31-3	0.1 - 1%
C9-11 PARETH-6	68439-46-3	0.1 - 1%
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	0.1 - 1%

Detergent Regulation (648/2004/EC): Labelling of contents	
Component %	
NTA (nitrilotriacetic acid) and salts thereof, anionic surfactants, non-ionic surfactants <5%	

15.1.2. National regulations

France Occupational diseases		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany		
Employment restrictions	:	Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	:	WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Danish National Regulations	:	Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland		
Storage class (LK)	:	LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms		
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms			
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUH-statements		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Safety Data Sheet (SDS) Detergent Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.